



ERGO Trust

the workstation for the next generation



COMPANY INFORMATION

ErgoTrust was created with one mission in mind: giving people who work hard a workspace that works as hard as they do, while maintaining a price-quality ratio that is hard to beat.

Engineered for your industry

The ErgoTrust workstations are engineered to support efficient workflows in logistics, manufacturing, electronics, pharmaceuticals, technical service environments, and many other industries. Our range includes:

- ▶ Fixed-height, screw adjustable, handcrank adjustable and electric height-adjustable workbenches
- ▶ Solutions for both light- and heavy-duty applications
- ▶ Full ESD compliance, keeping people, products and sensitive components safe
- ▶ A complete ecosystem of accessories: monitor arms, bin rails and modular add-ons

European quality, local support

Every ErgoTrust solution is designed, quality-controlled, assembled and stocked in Europe to strict European standards.

With stock locations and showrooms across multiple EU countries, you always have a partner you can count on:

- ▶ Short lead times, straight from local stock
- ▶ Local expertise and hands-on after-sales support
- ▶ European quality standards throughout

Ergonomics you can actually afford

Great workplace design shouldn't be a luxury. ErgoTrust makes top-quality ergonomic workplaces accessible to businesses of every size, combining premium quality with remarkable value. And it's a decision that pays for itself: ergonomic workstations reduce the risk of injury, boost focus, and help your team perform at their best. Better for your employees, better for your business.

Built to scale with your business

ErgoTrust is fully modular and standardized, whether you are equipping one workstation or standardizing across multiple sites:

- ▶ Simple to configure
- ▶ Quick to install
- ▶ Easy to expand

No complexity, no custom-built costs. We deliver the workstation for the next generation.



OUR CUSTOMERS

condor

AMETEK

AT&S

AWP
Your Assembly Workspace Partner

CHANEL

CMI
DORNIER GROUP

condor

DHL
Express

EFORE
TRUSTED POWER PARTNER

EXICOM
POWER SOLUTIONS

flintec
quality + precision

KELL

Honeywell

intel

LEONI

LV

Micron

NATIONAL
INSTRUMENTS

PETERSH

Plannenberg
SUSTAINABLE GROWTH

Pfizer

PLANMECA

PLANMECA

Schneider
Electric

SIEMENS

SOUQ
an amazon company

telecor

Table of contents

Structure

- **Structure of our workbenches** **4**

1. Table bases

- **1.1 Screw Adjustable** **5**
- **1.2 Crank Adjustable** **6**
- **1.3 Motor Adjustable** **7**
- **1.4 Motor Adjustable Max** **8**
- **1.5 Economic** **9**
- **1.6 Fixed Height Heavy Duty** **10**
- **1.7 Adjustable Heavy Duty** **11**

2. Tabletops

- **2.1 Tabletops** **12**

3. Accessories

- **3.1 Upright frames and reinforcement** **13**
 - 3.1.1 Upright perforated tube
 - 3.1.2 Upright horizontal tube
 - 3.1.3 Upright connection set
 - 3.1.4 Upright holder
 - 3.1.5 Backside reinforcement
- **3.2 Balancer rails** **14**
 - 3.2.1 Slant light brackets
 - 3.2.2 LED light
 - 3.2.3 Sliding hooks
- **3.3 Shelves, bin rails and castors** **15-18**
 - 3.3.1 Steel shelves
 - 3.3.2 Laminate shelves
 - 3.3.3 Reinforced steel upper shelves
 - 3.3.4 Adjustable steel shelves
 - 3.3.5 Adjustable steel shelves with label rail
 - 3.3.6 Steel shelves under top
 - 3.3.7 Divider plates and tubes
 - 3.3.8 Steel shelves + divider tube U1
 - 3.3.9 Steel shelves + divider tube U2
 - 3.3.10 Fenced steel upper shelves
 - 3.3.11 Bin rails
 - 3.3.12 Castor sets
- **3.4 Perforated panels** **19-20**
 - 3.4.1 Perforated panel
 - 3.4.2 Back panel
 - 3.4.3 Louvre panel
 - 3.4.4 Perforated + louvre panel
- **3.5 ICT accessories, arms and others** **21-26**
 - 3.5.1 LCD holder
 - 3.5.2 Thin client PC holder
 - 3.5.3 Swivel arm
 - 3.5.4 Keyboard & mouse tray
 - 3.5.5 Swivel arm LCD holder + keyboard tray
 - 3.5.6 PC/folder box
 - 3.5.7 Floor type computer host holder
 - 3.5.8 Multi adjustable keyboard tray
 - 3.5.9 Zero gravity monitor arm
 - 3.5.10 Zero gravity laptop holder

- 3.5.11 Zero gravity monitor arm & keyboard tray
- 3.5.12 Sliding pallet under top
- 3.5.13 Foot rest
- 3.5.14 Adjustable foot rest
- 3.5.15 Swivel auxiliary side top
- 3.5.16 Swivel equipment shelf
- 3.5.17 Swivel bin tray
- 3.5.18 Swivel bin rack
- 3.5.19 Swivel bin cabinet
- 3.5.20 Sliding auxiliary side top
- 3.5.21 Fixed auxiliary side top
- 3.5.22 Swivel loose-leaf folder
- 3.5.23 Swivel document holder
- 3.5.24 Swivel tool plate
- 3.5.25 Swivel tool frame
- 3.5.26 Swivel curved bin rail
- 3.5.27 Swivel roll material rack
- 3.5.28 Tray for tape and scanner
- 3.5.29 Fixed tape dispenser 2-way
- 3.5.30 Energy rail brackets
- 3.5.31 Upright frame bracket
- 3.5.32 Cable duct
- 3.5.33 Trash bin holder
- 3.5.34 Roll material rod
- 3.5.35 Packing material cutter A
- 3.5.36 Packing material cutter B
- 3.5.37 Bottle holder open
- 3.5.38 Bottle holder closed

► **3.6 Bins** **27**

- 3.6.1 Bin M2
- 3.5.2 Bin M3
- 3.5.3 Bin H1
- 3.5.4 Bin E2

► **3.7 Cabinets** **28-31**

- 3.7.1 Suspension cabinet SCB-1
- 3.7.2 Suspension cabinet SCB-2
- 3.7.3 Suspension cabinet SCB-3
- 3.7.4 Suspension cabinet SCB-4
- 3.7.5 Suspension cabinet SCB-5
- 3.7.6 Suspension cabinet SCB-6
- 3.7.7 Suspension drawer - single
- 3.7.8 Suspension drawer - double
- 3.7.9 Suspension drawer - triple
- 3.7.10 Suspension drawer cabinet
- 3.7.11 Drawer divider
- 3.7.12 Heavy duty suspension drawer - single
- 3.7.13 Heavy duty suspension drawer - double
- 3.7.14 Heavy duty suspension drawer - triple
- 3.7.15 Movable drawer cabinet MV2
- 3.7.16 Movable drawer cabinet MV3

4. Trolleys

5. Project pictures

STRUCTURE




- Product structure and accessories are all modular
- Features modular accessories that cover most bench functions
- Functional accessories all have quick disassembly and installation structures
- Configure your workbench freely with various functions according to the needs of each user

ESD Performance

EN 61340-5-1:2016	Working surfaces, storage racks and trolleys	$<1 \times 10^9 \Omega$
EN 61340-5-1:2016	Working surfaces, storage racks and trolleys	$<1 \times 10^9 \Omega$
TEST	Relative humidity	Electrical results
Point to point resistance	60%-40%	$1 \times 10^5 - 1 \times 10^9 \Omega$
	40%-20%	$1 \times 10^5 - 1 \times 10^9 \Omega$
	20%-10%	$1 \times 10^7 - 1 \times 10^9 \Omega$
Point to earth resistance	60%-40%	$1 \times 10^5 - 1 \times 10^9 \Omega$
	40%-20%	$1 \times 10^5 - 1 \times 10^9 \Omega$
	20%-10%	$1 \times 10^7 - 1 \times 10^9 \Omega$
Volume resistance	60%-40%	10^7 to $1 \times 10^9 \Omega$
	40%-20%	10^7 to $1 \times 10^9 \Omega$

1. TABLE BASES

1.1 ErgoTrust Screw Adjustable table base



- ▶ Height adjustable with 4 removable screws
- ▶ Height (with tabletop 24 mm): 694-1144 mm
- ▶ Load capacity: 500 kg
- ▶ Feet optionally extendable at the back




	Size (DxL)	No.	Parts
SA 600	600x580 mm	SA 600	SA 600 Leg L+R Lightgrey 500 kg
		U 600 C+B	Universal 580 Crossbeam + backframe
	600x780 mm	SA 600	SA 600 Leg L+R Lightgrey 500 kg
		U 750 C+B	Universal 780 Crossbeam + backframe
	600x1030 mm	SA 600	SA 600 Leg L+R Lightgrey 500 kg
		U 1000 C+B	Universal 1030 Crossbeam + backframe
	600x1200 mm	SA 600	SA 600 Leg L+R Lightgrey 500 kg
		U 1200 C+B	Universal 1200 Crossbeam + backframe
SA 750	750x580 mm	SA 750	CA 750 Leg L+R Lightgrey 500 kg
		U 600 C+B	Universal 580 Crossbeam + backframe
	750x780 mm	SA 750	SA 750 Leg L+R Lightgrey 500 kg
		U 750 C+B	Universal 780 Crossbeam + backframe
	750x1030 mm	SA 750	SA 750 Leg L+R Lightgrey 500 kg
		U 1000 C+B	Universal 1030 Crossbeam + backframe
	750x1200 mm	SA 750	SA 750 Leg L+R Lightgrey 500 kg
		U 1200 C+B	Universal 1200 Crossbeam + backframe
SA 900	900x580 mm	SA 900	SA 900 Leg L+R Lightgrey 500 kg
		U 600 C+B	Universal 580 Crossbeam + backframe
	900x780 mm	SA 900	SA 900 Leg L+R Lightgrey 500 kg
		U 750 C+B	Universal 780 Crossbeam + backframe
	900x1030 mm	SA 900	SA 900 Leg L+R Lightgrey 500 kg
		U 1000 C+B	Universal 1030 Crossbeam + backframe
	900x1200 mm	SA 900	SA 900 Leg L+R Lightgrey 500 kg
		U 1200 C+B	Universal 1200 Crossbeam + backframe
SA 900	900x1530 mm	SA 900	SA 900 Leg L+R Lightgrey 500 kg
		U 1500 C+B	Universal 1530 Crossbeam + backframe
	900x1830 mm	SA 900	SA 900 Leg L+R Lightgrey 500 kg
		U 1800 C+B	Universal 1830 Crossbeam + backframe
	900x2280 mm	SA 900	SA 900 Leg L+R Lightgrey 500 kg
		U 2250 C+B	Universal 2280 Crossbeam + backframe

Accessories and tabletops pg. 13-31



1.2 ErgoTrust Crank Adjustable table base



CA - Crank Adjustable

- ▶ Height adjustable with hand crank
- ▶ Height (with tabletop 24 mm): 744-1044 mm
- ▶ Load capacity: 250 kg
- ▶ Feet optionally extendable at the back
- ▶ Smooth movement using 4 gears



	Size (DxL)	No.	Parts
CA 600	600x580 mm	CA 600	CA 600 Leg L+R Lightgrey 250 kg
		U 600 C+B	Universal 580 Crossbeam + backframe
	600x780 mm	CA 600	CA 600 Leg L+R Lightgrey 250 kg
		U 750 C+B	Universal 780 Crossbeam + backframe
	600x1030 mm	CA 600	CA 600 Leg L+R Lightgrey 250 kg
		U 1000 C+B	Universal 1030 Crossbeam + backframe
	600x1200 mm	CA 600	CA 600 Leg L+R Lightgrey 250 kg
		U 1200 C+B	Universal 1200 Crossbeam + backframe
	600x1530 mm	CA 600	CA 600 Leg L+R Lightgrey 250 kg
		U 1500 C+B	Universal 1530 Crossbeam + backframe
	600x1830 mm	CA 600	CA 600 Leg L+R Lightgrey 250 kg
		U 1800 C+B	Universal 1830 Crossbeam + backframe
	600x2280 mm	CA 600	CA 600 Leg L+R Lightgrey 250 kg
		U 2250 C+B	Universal 2280 Crossbeam + backframe


CA 750	750x580 mm	CA 750	CA 750 Leg L+R Lightgrey 250 kg
		U 600 C+B	Universal 580 Crossbeam + backframe
	750x780 mm	CA 750	CA 750 Leg L+R Lightgrey 250 kg
		U 750 C+B	Universal 780 Crossbeam + backframe
	750x1030 mm	CA 750	CA 750 Leg L+R Lightgrey 250 kg
		U 1000 C+B	Universal 1030 Crossbeam + backframe
	750x1200 mm	CA 750	CA 750 Leg L+R Lightgrey 250 kg
		U 1200 C+B	Universal 1200 Crossbeam + backframe
	750x1530 mm	CA 750	CA 750 Leg L+R Lightgrey 250 kg
		U 1500 C+B	Universal 1530 Crossbeam + backframe
	750x1830 mm	CA 750	CA 750 Leg L+R Lightgrey 250 kg
		U 1800 C+B	Universal 1830 Crossbeam + backframe
	750x2280 mm	CA 750	CA 750 Leg L+R Lightgrey 250 kg
		U 2250 C+B	Universal 2280 Crossbeam + backframe

CA 900	900x580 mm	CA 900	CA 900 Leg L+R Lightgrey 250 kg
		U 600 C+B	Universal 580 Crossbeam + backframe
	900x780 mm	CA 900	CA 900 Leg L+R Lightgrey 250 kg
		U 750 C+B	Universal 780 Crossbeam + backframe
	900x1030 mm	CA 900	CA 900 Leg L+R Lightgrey 250 kg
		U 1000 C+B	Universal 1030 Crossbeam + backframe
	900x1200 mm	CA 900	CA 900 Leg L+R Lightgrey 250 kg
		U 1200 C+B	Universal 1200 Crossbeam + backframe
	900x1530 mm	CA 900	CA 900 Leg L+R Lightgrey 250 kg
		U 1500 C+B	Universal 1530 Crossbeam + backframe
	900x1830 mm	CA 900	CA 900 Leg L+R Lightgrey 250 kg
		U 1800 C+B	Universal 1830 Crossbeam + backframe
	900x2280 mm	CA 900	CA 900 Leg L+R Lightgrey 250 kg
		U 2250 C+B	Universal 2280 Crossbeam + backframe

Accessories and tabletops pg. 13-31



1.3 ErgoTrust Motor Adjustable table base



MA - Motor Adjustable

- ▶ Electric height adjustable
- ▶ Height (with tabletop 24 mm): 744-1094 mm
- ▶ Load capacity: 200 kg
- ▶ Feet optionally extendable at the back
- ▶ LED digital display controller, button adjustment. Can display and memorize 4 height values.
- ▶ Safety: automatically moves up and down when feeling resistance
- ▶ Electric motors are CE and UL certified



	Size (DxL)	No.	Parts
MA 600	600x580 mm	MA 600	MA 600 Leg L+R Lightgrey 200 kg
		U 600 C+B	Universal 580 Crossbeam + backframe
	600x780 mm	MA 600	MA 600 Leg L+R Lightgrey 200 kg
		U 750 C+B	Universal 780 Crossbeam + backframe
	600x1030 mm	MA 600	MA 600 Leg L+R Lightgrey 200 kg
		U 1000 C+B	Universal 1030 Crossbeam + backframe
	600x1200 mm	MA 600	MA 600 Leg L+R Lightgrey 200 kg
		U 1200 C+B	Universal 1200 Crossbeam + backframe
MA 750	750x580 mm	MA 750	MA 750 Leg L+R Lightgrey 200 kg
		U 600 C+B	Universal 580 Crossbeam + backframe
	750x780 mm	MA 750	MA 750 Leg L+R Lightgrey 200 kg
		U 750 C+B	Universal 780 Crossbeam + backframe
	750x1030 mm	MA 750	MA 750 Leg L+R Lightgrey 200 kg
		U 1000 C+B	Universal 1030 Crossbeam + backframe
	750x1200 mm	MA 750	MA 750 Leg L+R Lightgrey 200 kg
		U 1200 C+B	Universal 1200 Crossbeam + backframe
MA 900	900x580 mm	MA 900	MA 900 Leg L+R Lightgrey 200 kg
		U 600 C+B	Universal 580 Crossbeam + backframe
	900x780 mm	MA 900	MA 900 Leg L+R Lightgrey 200 kg
		U 750 C+B	Universal 780 Crossbeam + backframe
	900x1030 mm	MA 900	MA 900 Leg L+R Lightgrey 200 kg
		U 1000 C+B	Universal 1030 Crossbeam + backframe
	900x1200 mm	MA 900	MA 900 Leg L+R Lightgrey 200 kg
		U 1200 C+B	Universal 1200 Crossbeam + backframe

MA 600	600x580 mm	MA 600	MA 600 Leg L+R Lightgrey 200 kg
		U 600 C+B	Universal 580 Crossbeam + backframe
	600x780 mm	MA 600	MA 600 Leg L+R Lightgrey 200 kg
		U 750 C+B	Universal 780 Crossbeam + backframe
	600x1030 mm	MA 600	MA 600 Leg L+R Lightgrey 200 kg
		U 1000 C+B	Universal 1030 Crossbeam + backframe
	600x1200 mm	MA 600	MA 600 Leg L+R Lightgrey 200 kg
		U 1200 C+B	Universal 1200 Crossbeam + backframe
MA 750	750x580 mm	MA 750	MA 750 Leg L+R Lightgrey 200 kg
		U 600 C+B	Universal 580 Crossbeam + backframe
	750x780 mm	MA 750	MA 750 Leg L+R Lightgrey 200 kg
		U 750 C+B	Universal 780 Crossbeam + backframe
	750x1030 mm	MA 750	MA 750 Leg L+R Lightgrey 200 kg
		U 1000 C+B	Universal 1030 Crossbeam + backframe
	750x1200 mm	MA 750	MA 750 Leg L+R Lightgrey 200 kg
		U 1200 C+B	Universal 1200 Crossbeam + backframe
MA 900	900x580 mm	MA 900	MA 900 Leg L+R Lightgrey 200 kg
		U 600 C+B	Universal 580 Crossbeam + backframe
	900x780 mm	MA 900	MA 900 Leg L+R Lightgrey 200 kg
		U 750 C+B	Universal 780 Crossbeam + backframe
	900x1030 mm	MA 900	MA 900 Leg L+R Lightgrey 200 kg
		U 1000 C+B	Universal 1030 Crossbeam + backframe
	900x1200 mm	MA 900	MA 900 Leg L+R Lightgrey 200 kg
		U 1200 C+B	Universal 1200 Crossbeam + backframe

MA 600	600x580 mm	MA 600	MA 600 Leg L+R Lightgrey 200 kg
		U 600 C+B	Universal 580 Crossbeam + backframe
	600x780 mm	MA 600	MA 600 Leg L+R Lightgrey 200 kg
		U 750 C+B	Universal 780 Crossbeam + backframe
	600x1030 mm	MA 600	MA 600 Leg L+R Lightgrey 200 kg
		U 1000 C+B	Universal 1030 Crossbeam + backframe
	600x1200 mm	MA 600	MA 600 Leg L+R Lightgrey 200 kg
		U 1200 C+B	Universal 1200 Crossbeam + backframe
MA 750	750x580 mm	MA 750	MA 750 Leg L+R Lightgrey 200 kg
		U 600 C+B	Universal 580 Crossbeam + backframe
	750x780 mm	MA 750	MA 750 Leg L+R Lightgrey 200 kg
		U 750 C+B	Universal 780 Crossbeam + backframe
	750x1030 mm	MA 750	MA 750 Leg L+R Lightgrey 200 kg
		U 1000 C+B	Universal 1030 Crossbeam + backframe
	750x1200 mm	MA 750	MA 750 Leg L+R Lightgrey 200 kg
		U 1200 C+B	Universal 1200 Crossbeam + backframe
MA 900	900x580 mm	MA 900	MA 900 Leg L+R Lightgrey 200 kg
		U 600 C+B	Universal 580 Crossbeam + backframe
	900x780 mm	MA 900	MA 900 Leg L+R Lightgrey 200 kg
		U 750 C+B	Universal 780 Crossbeam + backframe
	900x1030 mm	MA 900	MA 900 Leg L+R Lightgrey 200 kg
		U 1000 C+B	Universal 1030 Crossbeam + backframe
	900x1200 mm	MA 900	MA 900 Leg L+R Lightgrey 200 kg
		U 1200 C+B	Universal 1200 Crossbeam + backframe


Accessories and tabletops pg. 13-31



1.4 ErgoTrust Motor Adjustable Max table base

MAM - Motor Adjustable Max

- ▶ Electric height adjustable
- ▶ Height (with tabletop 24 mm): 744-1124 mm
- ▶ Load capacity: 500 kg, lift 15mm/s
- ▶ LED digital display controller, button adjustment. Can display and memorize 4 height values.
- ▶ Safety: automatically moves up and down when feeling resistance
- ▶ Electric motors are CE and UL certified




	Size (DxL)	No.	Parts
MAM 600	600x580 mm	MAM 600	MAM 600 Leg L+R Lightgrey 500 kg
		MAM 600 C+B	MAM 580 Crossbeam + backframe
	600x1030 mm	MAM 600	MAM 600 Leg L+R Lightgrey 500 kg
		MAM 1000 C+B	MAM 1030 Crossbeam + backframe
	600x1200 mm	MAM 600	MAM 600 Leg L+R Lightgrey 500 kg
		MAM 1200 C+B	MAM 1200 Crossbeam + backframe
	600x1530 mm	MAM 600	MAM 600 Leg L+R Lightgrey 500 kg
		MAM 1500 C+B	MAM 1530 Crossbeam + backframe
	600x1830 mm	MAM 600	MAM 600 Leg L+R Lightgrey 500 kg
		MAM 1800 C+B	MAM 1830 Crossbeam + backframe
	600x2280 mm	MAM 600	MAM 600 Leg L+R Lightgrey 500 kg
		MAM 2250 C+B	MAM 2280 Crossbeam + backframe


MAM 750	750x580 mm	MAM 750	MAM 750 Leg L+R Lightgrey 500 kg
		MAM 600 C+B	MAM 580 Crossbeam + backframe
	750x1030 mm	MAM 750	MAM 750 Leg L+R Lightgrey 500 kg
		MAM 1000 C+B	MAM 1030 Crossbeam + backframe
	750x1200 mm	MAM 750	MAM 750 Leg L+R Lightgrey 500 kg
		MAM 1200 C+B	MAM 1200 Crossbeam + backframe
	750x1530 mm	MAM 750	MAM 750 Leg L+R Lightgrey 500 kg
		MAM 1500 C+B	MAM 1530 Crossbeam + backframe
	750x1830 mm	MAM 750	MAM 750 Leg L+R Lightgrey 500 kg
		MAM 1800 C+B	MAM 1830 Crossbeam + backframe
	750x2280 mm	MAM 750	MAM 750 Leg L+R Lightgrey 500 kg
		MAM 2250 C+B	MAM 2280 Crossbeam + backframe

MAM 900	900x580 mm	MAM 900	MAM 900 Leg L+R Lightgrey 500 kg
		MAM 600 C+B	MAM 580 Crossbeam + backframe
	900x1030 mm	MAM 900	MAM 900 Leg L+R Lightgrey 500 kg
		MAM 1000 C+B	MAM 1030 Crossbeam + backframe
	900x1200 mm	MAM 900	MAM 900 Leg L+R Lightgrey 500 kg
		MAM 1200 C+B	MAM 1200 Crossbeam + backframe
	900x1530 mm	MAM 900	MAM 900 Leg L+R Lightgrey 500 kg
		MAM 1500 C+B	MAM 1500 Crossbeam + backframe
	900x1830 mm	MAM 900	MAM 900 Leg L+R Lightgrey 500 kg
		MAM 1800 C+B	MAM 1800 Crossbeam + backframe
	900x2280 mm	MAM 900	MAM 900 Leg L+R Lightgrey 500 kg
		MAM 2250 C+B	MAM 2280 Crossbeam + backframe

Accessories and tabletops pg. 13-31



1.5 ErgoTrust Economic 4 leg table base



SAE - Screw Adjustable Economic

- ▶ Height adjustable with screws
- ▶ Height (with tabletop 24 mm): 694-1144 mm
- ▶ Load capacity: 300 kg



Accessories and tabletops pg. 13-31



SAE 750	Size (DxL)	No.	Parts
	750x540 mm	SAE 750	Economic table 2 feet 300 kg
		SAE 500 2C	2x Crossbeam SAE
	750x790 mm	SAE 750	Economic table 2 feet 300 kg
		SAE 750 2C	2x Crossbeam SAE
	750x1040 mm	SAE 750	Economic table 2 feet 300 kg
		SAE 1000 2C	2x Crossbeam SAE
	750x1210 mm	SAE 750	Economic table 2 feet 300 kg
		SAE 1200 2C	2x Crossbeam SAE
	750x1540 mm	SAE 750	Economic table 2 feet 300 kg
		SAE 1500 2C	2x Crossbeam SAE
	750x1840 mm	SAE 750	Economic table 2 feet 300 kg
		SAE 1800 2C	2x Crossbeam SAE
	750x2290 mm	SAE 750	Economic table 2 feet 300 kg
		SAE 2250 2C	2x Crossbeam SAE

SAE 900	Size (DxL)	No.	Parts
	900x540 mm	SAE 900	Economic table 2 feet 300 kg
		SAE 500 2C	2x Crossbeam SAE
	900x790 mm	SAE 900	Economic table 2 feet 300 kg
		SAE 750 2C	2x Crossbeam SAE
	900x1040 mm	SAE 900	Economic table 2 feet 300 kg
		SAE 1000 2C	2x Crossbeam SAE
	900x1240 mm	SAE 900	Economic table 2 feet 300 kg
		SAE 1210 2C	2x Crossbeam SAE
	900x1540 mm	SAE 900	Economic table 2 feet 300 kg
		SAE 1500 2C	2x Crossbeam SAE
	900x1840 mm	SAE 900	Economic table 2 feet 300 kg
		SAE 1800 2C	2x Crossbeam SAE
	900x2290 mm	SAE 900	Economic table 2 feet 300 kg
		SAE 2250 2C	2x Crossbeam SAE

▶ Also available with foldable side table

Type	No.	Name
M750	SAE Side table 750	Foldable side table for Eco frame 750




▶ Also available with foldable side table

Type	No.	Name
M900	SAE Side table 900	Foldable side table for Eco frame 900



1.6 ErgoTrust Heavy Duty table frame, fixed height



IBF - Heavy duty

- ▶ Height (with tabletop 40 mm): 800 mm
- ▶ Load capacity: 1000 kg



Accessories and tabletops pg. 13-31



	Size (DxL)	No.	Parts
IBF 750	750x1200 mm	IBF 750 1000 kg	IBF 750 Leg L+R lightgrey 1000 kg
		IB 1200 C+B	IB 1200 Crossbeam + backframe lightgrey
	750x1530 mm	IBF 750 1000 kg	IBF 750 Leg L+R lightgrey 1000 kg
		IB 1500 C+B	IB 1530 Crossbeam + backframe lightgrey
	750x1830 mm	IBF 750 1000 kg	IBF 750 Leg L+R lightgrey 1000 kg
		IB 1800 C+B	IB 1830 Crossbeam + backframe lightgrey
IBF 900	900x1200 mm	IBF 900 1000 kg	IBF 900 Leg L+R lightgrey 1000 kg
		IB 1200 C+B	IB 1200 Crossbeam + backframe lightgrey
	900x1530 mm	IBF 900 1000 kg	IBF 900 Leg L+R lightgrey 1000 kg
		IB 1500 C+B	IB 1530 Crossbeam + backframe lightgrey
	900x1830 mm	IBF 900 1000 kg	IBF 900 Leg L+R lightgrey 1000 kg
		IB 1800 C+B	IB 1830 Crossbeam + backframe lightgrey
	900x2280 mm	IBF 900 1000 kg	IBF 900 Leg L+R lightgrey 1000 kg
		IB 2250 C+B	IB 2280 Crossbeam + backframe lightgrey




IBF

IBF + tabletop

IBF + tabletop + accessories

1.7 ErgoTrust Adjustable Heavy Duty table base



IBSA - Heavy duty table base

- ▶ Height adjustable with screws
- ▶ Height (with tabletop 40 mm): 710-1160 mm
- ▶ Load capacity: 1000 kg



Accessories and tabletops pg. 13-31



	Size (DxL)	No.	Parts
IBSA 750	750x1200 mm	IBSA 750 1000 kg	IBSA 750 Leg L+R lightgrey 1000 kg
		IB 1200 C+B	IB 1200 Crossbeam + backframe lightgrey
	750x1530 mm	IBSA 750 1000 kg	IBSA 750 Leg L+R lightgrey 1000 kg
		IB 1500 C+B	IB 1530 Crossbeam + backframe lightgrey
	750x1830 mm	IBSA 750 1000 kg	IBSA 750 Leg L+R lightgrey 1000 kg
		IB 1800 C+B	IB 1830 Crossbeam + backframe lightgrey
IBSA 900	900x1200 mm	IBSA 900 1000 kg	IBSA 900 Leg L+R lightgrey 1000 kg
		IB 1200 C+B	IB 1200 Crossbeam + backframe lightgrey
	900x1530 mm	IBSA 900 1000 kg	IBSA 900 Leg L+R lightgrey 1000 kg
		IB 1500 C+B	IB 1530 Crossbeam + backframe lightgrey
	900x1830 mm	IBSA 900 1000 kg	IBSA 900 Leg L+R lightgrey 1000 kg
		IB 1800 C+B	IB 1830 Crossbeam + backframe lightgrey
	900x2280 mm	IBSA 900 1000 kg	IBSA 900 Leg L+R lightgrey 1000 kg
		IB 2250 C+B	IB 2280 Crossbeam + backframe lightgrey



IBSA




IBSA + tabletop



IBSA + tabletop + accessories

► 2.TABLETOPS

2.1 ErgoTrust Tabletops

TABLETOPS	No.	Name & size	
	ESD 700 600	Tabletop ESD 700x600 mm	
	ESD 750 600	Tabletop ESD 700x600 mm	
	ESD 750 650	Tabletop ESD 700x650 mm	
	ESD 1000 600	Tabletop ESD 1000x600 mm	
	ESD 1000 750	Tabletop ESD 1000x750 mm	
	ESD 1030 600	Tabletop ESD 1030x600 mm	
	ESD 1030 750	Tabletop ESD 1030x750 mm	
	ESD 1200 600	Tabletop ESD 1200x600 mm	
	ESD 1200 750	Tabletop ESD 1200x750 mm	
	ESD 1250 750	Tabletop ESD 1250x750 mm	
	ESD 1330 400	Tabletop ESD 1330x400 mm	
	ESD 1530 600	Tabletop ESD 1530x600 mm	
	ESD 1530 750	Tabletop ESD 1530x750 mm	
	ESD 1530 900	Tabletop ESD 1530x900 mm	
	ESD 1550 750	Tabletop ESD 1550x750 mm	
	ESD 1830 750	Tabletop ESD 1830x750 mm	
	ESD 1850 750	Tabletop ESD 1850x750 mm	
	ESD 1830 900	Tabletop ESD 1830x900 mm	
	ESD 2000 750	Tabletop ESD 2000x750 mm	
	ESD 2000 900	Tabletop ESD 2000x900 mm	
	ESD 2280 750	Tabletop ESD 2280x750 mm	
	ESD 2280 900	Tabletop ESD 2280x900 mm	
	ESD 2400 750	Tabletop ESD 2400x750 mm	
	ESD 2400 900	Tabletop ESD 2400x900 mm	
	ESD SQM	Tabletop ESD / m ²	

OTHER OPTIONS



HPL/LPL




stainless steel




heavy duty


► 3. ACCESSORIES

3.1 ErgoTrust Upright frames and reinforcement

UPRIGHT PERFORATED TUBE		No.	Name & size	ESD
		UPT 750	Single perforated upright tube (without horizontal tube) - 750 mm	
		UPT 1070	Single perforated upright tube (without horizontal tube) - 1070 mm	
		UPT 1359	Single perforated upright tube (without horizontal tube) - 1359 mm	
		UPT 1600	Single perforated upright tube (without horizontal tube) - 1600 mm	
		UPT 1940	Single perforated upright tube (without horizontal tube) - 1940 mm	

UPRIGHT HORIZONTAL TUBE	Type	No.	Name & size	ESD
	M750	HT750	Upright horizontal tube - 719 mm	
	M900	HT900	Upright horizontal tube - 869 mm	
	M1200	HT1200	Upright horizontal tube - 1139 mm	
	M1500	HT1500	Upright horizontal tube - 1469 mm	
	M1800	HT1800	Upright horizontal tube - 1769 mm	

UPRIGHT CONNECTION SET		ESD
		
No.	Name	
TSB set	T straight bracket (set)	
LCB set	L Corner bracket (2x in, 2x out)	

UPRIGHT HOLDER			ESD
			
Type	No.	Name	
Upright holder	TH	Upright holder workbench	

► For SA, CA & MA tables

BACKSIDE REINFORCEMENT	Type	No.	Name	ESD
	M750	A70 750	Backside reinforcement for M750 table	
	M1000	A70 1000	Backside reinforcement for M1000 table	
	M1200	A70 1200	Backside reinforcement for M1200 table	
	M1530	A70 1530	Backside reinforcement for M1530 table	
	M1830	A70 1830	Backside reinforcement for M1830 table	
	M2280	A70 2280	Backside reinforcement for M2280 table	

3.2 ErgoTrust Balancer rails

- ▶ Mount on upright frame
- ▶ Horizontal installation or 20-degree slant installation



SLANT LIGHT BRACKETS	Type	No.	Name & size	ESD
	M500	A48 500 604	Balancer rail M500 / 482x604x382 mm	
	M750	A48 750 604	Balancer rail M750 / 732x604x382 mm	
	M900	A48 900 604	Balancer rail M900 / 882x604x382 mm	
	M1200	A48 1200 604	Balancer rail M1200 / 1182x604x382 mm	
	M1500	A48 1530 604	Balancer rail M1530 / 1512x604x382 mm	
	M1800	A48 1830 604	Balancer rail M1830 / 1812x604x382 mm	
	M2200	A48 2280 604	Balancer rail M2280 / 2262x604x382 mm	

- ▶ Fixed on light bracket or upper shelf

LED LIGHT	Type	No.	Name & size	ESD
	600	A51 600 30	LED light 600 mm; 30 W; CT10-270 V; 50/60 Hz; White 5000K	
	900	A51 900 40	LED light 900 mm; 40 W; CT10-270 V; 50/60 Hz; White 5000K	
	1200	A51 1200 40	LED light 1200 mm; 40 W; CT10-270 V; 50/60 Hz; White 5000K	

SLIDING HOOKS	Type	No.	Name	ESD
	Slid	A72 slid	Sliding hooks	

3.3 ErgoTrust Shelves, bin rails and castors

- ▶ Mount on upright frame
- ▶ Horizontal installation or 20-degree slant installation



STEEL SHELVES	Type	No.	Name & size	
	M500	A8 500 306	Steel shelf M500/ 495x306 mm	
	M500	A8 500 406	Steel shelf M500 / 495x406 mm	
	M750	A8 750 306	Steel shelf M750 / 745x306 mm	
	M750	A8 750 406	Steel shelf M750 / 745x406 mm	
	M900	A8 900 306	Steel shelf M900 / 895x306 mm	
	M900	A8 900 406	Steel shelf M900 / 895x406 mm	
	M1200	A8 1200 306	Steel shelf M1200 / 1165x306 mm	
	M1200	A8 1200 406	Steel shelf M1200 / 1165x406 mm	
	M1500	A8 1500 306	Steel shelf M1500 / 1485x306 mm	
	M1500	A8 1500 406	Steel shelf M1500 / 1485x406 mm	
	M1800	A8 1800 306	Steel shelf M1800 / 1795x306 mm	
	M1800	A8 1800 406	Steel shelf M1800 / 1795x406 mm	



- ▶ Mount on upright frame

LAMINATE SHELVES	Type	No.	Name & size	
	M750	A9 750 300	Laminate shelf M750 / 745x300 mm	
	M750	A9 750 380	Laminate shelf M750 / 745x380 mm	
	M900	A9 900 300	Laminate shelf M900 / 895x300 mm	
	M900	A9 900 380	Laminate shelf M900 / 895x380 mm	
	M1200	A9 1200 300	Laminate shelf M1200 / 1200x300 mm	
	M1200	A9 1200 380	Laminate shelf M1200 / 1200x380 mm	
	M1500	A9 1530 300	Laminate shelf M1530 / 1530x300 mm	
	M1500	A9 1530 380	Laminate shelf M1530 / 1530x380 mm	
	M1800	A9 1830 300	Laminate shelf M1830 / 1830x300 mm	
	M1800	A9 1830 380	Laminate shelf M1830 / 1830x380 mm	
	M2250	A9 2280 300	Laminate shelf M2280 / 2280x300 mm	
	M2250	A9 2280 380	Laminate shelf M2280 / 2280x380 mm	

- ▶ Mount on upright frame

REINFORCED STEEL UPPER SHELVES	No.	Name & size	
	A78 1500 600	Reinforced steel upper shelf / 1500x600 mm	
	A78 1800 600	Reinforced steel upper shelf / 1800x600 mm	

- Grey and blue color available
- Angle adjustable




ADJUSTABLE STEEL SHELVES		Type	No.	Name & size	
	M750	A10	750 649 2	Adjustable steel shelf M750 / 719x649 mm (bracket 2x)	
	M750	A10	750 649 4	Adjustable steel shelf M750 / 719x649 mm * (bracket 4x)	
	M900	A10	900 649 2	Adjustable steel shelf M900 / 869x649 mm (bracket 2x)	
	M900	A10	900 649 4	Adjustable steel shelf M900 / 869x649 mm * (bracket 4x)	
	M1200	A10	1200 649 2	Adjustable steel shelf M900 / 1139x649mm (bracket 2x)	
	M1200	A10	1200 649 4	Adjustable steel shelf M900 / 1139x649 mm * (bracket 4x)	

- Mount on upright frame
- Plastic label rail

ADJUSTABLE SHELVES WITH REMOVABLE LABEL RAIL		Type	No.	Name & size	
	M750	A69	750 300	Adjustable steel shelf with removable rail 741x300 mm	
	M750	A69	750 400	Adjustable steel shelf with removable rail 741x400 mm	
	M900	A69	900 300	Adjustable steel shelf with removable rail 891x300 mm	
	M900	A69	900 400	Adjustable steel shelf with removable rail 891x400 mm	
	M1200	A69	1200 300	Adjustable steel shelf with removable rail 1161x300 mm	
	M1200	A69	1200 400	Adjustable steel shelf with removable rail 1161x400 mm	
	M1500	A69	1500 300	Adjustable steel shelf with removable rail 1491x300 mm	
	M1500	A69	1500 400	Adjustable steel shelf with removable rail 1491x400 mm	
	M1800	A69	1800 300	Adjustable steel shelf with removable rail 1791x300 mm	
	M1800	A69	1800 400	Adjustable steel shelf with removable rail 1791x400 mm	

STEEL SHELVES UNDER TOP		Type	No.	Name & size	
	T1200	A56	1200 400	Under shelf - steel M1200 / 892x400 mm	
	T1200	A56	1200 600	Under shelf - steel M1200 / 892x600 mm	
	T1500	A56	1500 400	Under shelf - steel M1500 / 1162x400 mm	
	T1500	A56	1500 600	Under shelf - steel M1500 / 1162x600 mm	
	T1800	A56	1800 400	Under shelf - steel M1800 / 1492x400 mm	
	T1800	A56	1800 600	Under shelf - steel M1800 / 1492x600 mm	
	T2250	A56	2250 400	Under shelf - steel M2250 / 1792x400 mm	
	T2250	A56	2250 600	Under shelf - steel M2250 / 1792x600 mm	


- Use on steel or laminate shelf for classifying documents

DIVIDER PLATES AND TUBES	Type	No.	Name (& size)
	A 250	A11 190 250	Divider plate / 190x250 mm
	A 350	A11 190 350	Divider plate / 190x350 mm
	A 350 (ESD)	A11 190 350 ESD	Divider plate / 190x350 mm (for ESD laminated shelf) 
	B 350	U1	Divider U1-D350 for steel shelf

- Mount on upright frame
- For classifying or storage of packing cartons
- Divider size: HxD 380x360 mm (for small cartons)

STEEL SHELVES + DIVIDER TUBE U1	Type	No.	Name & size 
	M750	A12 750 380	Steel shelf + divider tube M750 / 741.5x380 mm (2 dividers)
	M900	A12 900 380	Steel shelf + divider tube M900 / 891.5x380 mm (4 dividers)
	M1200	A12 1200 380	Steel shelf + divider tube M1200 / 1161.5x380 mm (5 div.)
	M1500	A12 1500 380	Steel shelf + divider tube M1500 / 1491.5x380 mm (6 div.)
	M1800	A12 1800 380	Steel shelf + divider tube M1800 / 1791.5x380 mm (7 div.)

- Mount on upright frame
- For classifying or storage of packing cartons
- Divider size: HxD 380x360 mm (for small cartons)

STEEL SHELVES + DIVIDER TUBE U2	Type	No.	Name & size 
	M750	A13 750 380	Steel shelf + divider tube M750 / 741.5x380 mm (2 dividers)
	M900	A13 900 380	Steel shelf + divider tube M900 / 891.5x380 mm (3 dividers)
	M1200	A13 1200 380	Steel shelf + divider tube M1200 / 1161.5x380 mm (5 dividers)
	M1500	A13 1500 380	Steel shelf + divider tube M1500 / 1491.5x380 mm (6 dividers)
	M1800	A13 1800 380	Steel shelf + divider tube M1800 / 1791.5x380 mm (7 dividers)

FENCED STEEL UPPER SHELVES	Type	No.	Name & size 
	M1500	A14 1500 380	Fenced steel upper shelf M1500 / 1491.5x380 mm (3 dividers)
	M1800	A14 1800 380	Fenced steel upper shelf M1800 / 1791.5x380 mm (4 dividers)

- ▶ Mount on upright frame
- ▶ For hanging bins
- ▶ Horizontal installation or 20-degree tilting installation



BIN RAILS	Type	No.	Name & size	
	M500	A15 500	Bin rail M500 / 492 mm	
	M750	A15 750	Bin rail M750 / 742 mm	
	M900	A15 900	Bin rail M900 / 892 mm	
	M1200	A15 1200	Bin rail M1200 / 1162 mm	
	M1500	A15 1500	Bin rail M1500 / 1492 mm	
	M1800	A15 1800	Bin rail M1800 / 1792 mm	


- ▶ Swivel castors
- ▶ Set includes: 2 standard castors and 2 braked castors



CASTOR SETS	No.	Name & size	
	ACASTOR 75 mm	Castor set 75 mm for workbenches	
	ACASTOR 100 mm	Castor set 100 mm for workbenches	
	ACASTOR ESD 75 mm	ESD castor set 75 mm for workbenches	
	ACASTOR ESD 100 mm	ESD castor set 100 mm for workbenches	

3.4 ErgoTrust Perforated panels

- ▶ Mount on upright frame
- ▶ For tool hooks
- ▶ Perforation 10x10 mm

PERFORATED PANEL	Type	No.	Name & size	
	M500	A3 500 240	Perforated panel M500 x240 / 492x240 mm	
	M500	A3 500 390	Perforated panel M500 x390 / 492x390 mm	
	M500	A3 500 600	Perforated panel M500 x600 / 492x600 mm	
	M750	A3 750 240	Perforated panel M750x240 / 741x240 mm	
	M750	A3 750 390	Perforated panel M750x390 / 741x390 mm	
	M750	A3 750 600	Perforated panel M750x600 / 741x600 mm	
	M900	A3 900 240	Perforated panel M900x240 / 891x240 mm	
	M900	A3 900 390	Perforated panel M900x390 / 891x390 mm	
	M900	A3 900 600	Perforated panel M900x600 / 891x600 mm	
	M1200	A3 1200 240	Perforated panel M1200x240 / 1161x240 mm	
	M1200	A3 1200 390	Perforated panel M1200x390 / 1161x390 mm	
	M1200	A3 1200 600	Perforated panel M1200x600 / 1161x600 mm	
	M1500	A3 1500 240	Perforated panel M1500x240 / 1491x240 mm	
	M1500	A3 1500 390	Perforated panel M1500x390 / 1491x390 mm	
	M1500	A3 1500 600	Perforated panel M1500x600 / 1491x600 mm	
	M1800	A3 1800 240	Perforated panel M1800x240 / 1791x240 mm	
	M1800	A3 1800 390	Perforated panel M1800x390 / 1791x390 mm	
	M1800	A3 1800 600	Perforated panel M1800x600 / 1791x600 mm	

- ▶ Mount on upright frame
- ▶ On demand

BACK PANEL	Type	No.	Name & size	
	M750	A1 750 240	Back panel M750x240 / 741x240 mm	
	M750	A1 750 390	Back panel M750x390 / 741x390 mm	
	M900	A1 900 240	Back panel M900x240 / 891x240 mm	
	M900	A1 900 390	Back panel M900x390 / 891x390 mm	
	M1200	A1 1200 240	Back panel M1200x240 / 1161x240 mm	
	M1200	A1 1200 390	Back panel M1200x390 / 1161x390 mm	
	M1500	A1 1500 240	Back panel M1500x240 / 1491x240 mm	
	M1500	A1 1500 390	Back panel M1500x390 / 1291x390 mm	
	M1800	A1 1800 240	Back panel M1800x240 / 1791x240 mm	
	M1800	A1 1800 390	Back panel M1800x240 / 1791x390 mm	

- ▶ Mount on upright frame
- ▶ For hanging bins
- ▶ Enhanced hooks

LOUVRE PANEL

Type

No.

Name & size



M500	A4 500 240	Louvre panel 491×240 mm
M500	A4 500 390	Louvre panel 491×390 mm
M750	A4 750 240	Louvre panel 741×240 mm
M750	A4 750 390	Louvre panel 741×390 mm
M900	A4 900 240	Louvre panel 891×240 mm
M900	A4 900 390	Louvre panel 891×390 mm
M1200	A4 1200 240	Louvre panel 1161×240 mm
M1200	A4 1200 390	Louvre panel 1161×390 mm
M1500	A4 1500 240	Louvre panel 1491×240 mm
M1500	A4 1500 390	Louvre panel 1491×390 mm
M1800	A4 1800 240	Louvre panel 1791×240 mm
M1800	A4 1800 390	Louvre panel 1791×390 mm


- ▶ Mount on upright frame
- ▶ For tool hooks and bins

PERFORATED + LOUVRE PANEL

Type

No.

Name & size



750	A6 750 240	Perforated + louvre panel 741x240 mm
750	A6 750 390	Perforated + louvre panel 741x390 mm
900	A6 900 240	Perforated + louvre panel 891x240 mm
900	A6 900 390	Perforated + louvre panel 891x390 mm
1200	A6 1200 240	Perforated + louvre panel 1161×240 mm
1200	A6 1200 390	Perforated + louvre panel 1161×390 mm
1500	A6 1500 240	Perforated + louvre panel 1491x240 mm
1500	A6 1500 390	Perforated + louvre panel 1491x390 mm
1800	A6 1800 240	Perforated + louvre panel 1791x240 mm
1800	A6 1800 390	Perforated + louvre panel 1791x390 mm

3.5 ErgoTrust ICT accessories, arms and others

► Mounting on swivel arm or perforated panel



LCD HOLDER	No.	Name	
	A16 LCD Holder	LCD Holder	

THIN CLIENT PC HOLDER

No.

Name



	A65	Thin Client PC Holder	
---	-----	-----------------------	--

► Mounting on the upright frame




SWIVEL ARM	Length	No.	Name	
	240+240 mm	A16 Swivel arm	Swivel Arm for upright	

KEYBOARD & MOUSE TRAY

No.

Name & size



	A16 560 250	Keyboard & mouse tray 560x250 mm	
---	-------------	----------------------------------	--

► Mounting on the upright frame



**SWIVEL ARM + LCD HOLDER +
KEYBOARD TRAY (+ THIN CLIENT)**

Name & size



	Swivel display rack + keyboard tray 600x178 mm (+ thin client pc holder)			
---	---	--	--	--

PC / FOLDER BOX

No.

Name & size



	A71 Box	PC/folder box 130x290x330 mm	
---	---------	------------------------------	--



FLOOR TYPE COMPUTER HOST HOLDER		No.	Name & size	
		A18 400 210	Floor type computer host holder 400x(130-210) mm	

- ▶ Fixed under table top
- ▶ Angle, depth and height adjustable



MULTI ADJUSTABLE KEYBOARD TRAY		No.	Name & size	
		A17 560 250	Multi-adjustable key board tray 560x250 mm	

- ▶ Mounting on the upright frame




ZERO GRAVITY MONITOR ARM		No.	Name	
		A24 Monitor	Zero gravity monitor arm	

ZERO GRAVITY LAPTOP HOLDER		No.	Name & size	
		A24 Laptop	Zero gravity monitor arm, for laptop and tablet (300-420)x281 mm	

ZERO GRAVITY MONITOR ARM & KEYBOARD TRAY		No.	Name	
		A24 Monitor + tray	Zero gravity monitor arm + keyboard tray	



SLIDING PALLET UNDER TOP		No.	Name	Size	
	A58 480 510	Sliding pallet under top	Outer size: 480x510x500 mm Inner size: 440x450x500 mm		
	A58 550 510	Sliding pallet under top	Outer size: 550x510x500 mm Inner size: 510x450x500 mm		
	A58 550 520 2	Sliding pallet under top - two shelves	Outer size: 550x520x540 mm Inner size: 510x460x540 mm		



FOOT REST	Size	No.	Name & size	
	H: 180 mm	A20 500 350	Foot rest 500×350 mm	
ADJUSTABLE FOOT REST	Size	No.	Name & size	
	H: 110-250 mm	A21 550 350	Adjustable foot rest 550×350 mm *	



► Mounting on the upright frame



SWIVEL AUXILIARY SIDE TOP	No.	Name & size	
	A29 Side top	Swivel auxiliary side top 350×400 mm	
SWIVEL EQUIPMENT SHELF	No.	Name	
	A29 Shelf	Swivel equipment shelf	

► Mounting on the upright



SWIVEL BIN TRAY	No.	Name	
	A30 Tray	Swivel bin tray	
SWIVEL BIN RACK	No.	Name & size	
	A30 Rack	Swivel bin rack 424x168 mm, 8pcs bin (HB1-S, EB2-S)	
SWIVEL BIN CABINET	No.	Name	
	A30 Cabinet	Swivel bin cabinet	


► Mounting on upright frame



SLIDING AUXILIARY SIDE TOP		No.	Name & size	
		A59 400 450	Sliding pallet 400x450 mm, heavy duty	
FIXED AUXILIARY SIDE TOP		No.	Name & size	
		A60 450 500	Fixed auxiliary side top 450x500 mm	

► Mounting on upright frame



SWIVEL LOOSE-LEAF FOLDER		No.	Name & size	
		A26 A3 10	Swivel loose-leaf folder A3 page 10 mm	
		A26 A3 5	Swivel loose-leaf folder A3 page 5 mm	
		A26 A4 5	Swivel loose-leaf folder A4 page 5 mm	
		A26 A4 10	Swivel loose-leaf folder A4 page 10 mm	

► Mounting on upright frame



SWIVEL DOCUMENT HOLDER		No.	Name	
		A27 document	Swivel document holder	

► Mounting on upright frame

► Perforation 10x10 mm



SWIVEL TOOL PLATE		No.	Name & size	
		A27 Tool plate	Swivel tool plate 290x325 mm	

► Mounting on upright frame



SWIVEL TOOL FRAME		Type	No.	Name	
		M500	A27 Tool frame	Swivel tool frame M500	

► Mounting on upright frame

15 KG


SWIVEL CURVED BIN RAIL	No.	Name	ESD
	A15 Curved	Swivel curved bin rail	

► Mounting on upright frame

15 KG

SWIVEL ROLL MATERIAL RACK	No.	Name	ESD
	A31 200 300	Swivel roll material rack 200-H300 mm	

► Mounting on perforated panel and bin rail

TRAY FOR TAPE AND SCANNER	No.	Name	ESD
	A79 Tray	Tray for tape and scanner	

► Mounting on perforated panel, bin rail and wall

FIXED TAPE DISPENSER 2-WAY	No.	Name	ESD
	A79 Tape	Fixed tape dispenser 2-way	

► Used for mounting energy rail on uprights

► Horizontal and vertical mountable

ENERGY RAIL BRACKETS	No.	Name	ESD
	A63	Bracket, energy rail	

► UPRIGHT FRAME BRACKET


UPRIGHT FRAME BRACKET	No.	Name	ESD
	A64	Upright frame bracket for external arm	

► Mounting on upright frame

CABLE DUCT	Type	No.	Name & size	
	750	A53 750 240	Cable duct M750 / 741×240 mm	
	900	A53 900 240	Cable duct M900 / 891×240 mm	
	1200	A53 1200 240	Cable duct M1200 / 1161×240 mm	

TRASH BIN HOLDER	No.	Name & size	
	A61 360 35	Trash Bin Holder / 360x35x70 mm	

► Mounting on upright frame

ROLL MATERIAL ROD	No.	Name & size	
	A77 750	Roll material rod / 750 mm	
	A77 900	Roll material rod / 900 mm	
	A77 1200	Roll material rod / 1200 mm	
	A77 1500	Roll material rod / 1500 mm	
	A77 1800	Roll material rod / 1800 mm	

PACKING MATERIAL CUTTER A	Type	No.	Name & size	
	900	A75 PCA 900	Packing material cutter A M900 - cutting length 690 mm	
	1200	A75 PCA 1200	Packing material cutter A M1200 - cutting length 903 mm	
	1500	A75 PCA 1500	Packing material cutter A M1500 - cutting length 1230 mm	

PACKING MATERIAL CUTTER B	No.	Name & size	
	A76 PCB 700	Packing material cutter B M700 - cutting length 500 mm	

► Mounting on perforated panel or upright

BOTTLE HOLDER OPEN	No.	Name	
	A3 bottle open	Open bottle holder for perforated panel	
	UPT bottle open	Open bottle holder for upright	

► Mounting on perforated panel or upright

BOTTLE HOLDER CLOSED	No.	Name	
	A3 bottle closed	Closed bottle holder for perforated panel	
	UPT bottle closed	Closed bottle holder for upright	

3.6 ErgoTrust Bins

- ▶ Outer size: 117Wx400Dx90H
- ▶ Inner size: 94Wx360Dx80H
- ▶ 3 dividers

BIN M2		Type	No.	Name
	M2	A62 M2 BLUE	Bin M2 blue	
	M2	A62 M2 ESD	Bin M2 ESD black	



- ▶ Outer size: 117Wx500Dx90H
- ▶ Inner size: 94Wx460Dx80H
- ▶ 4 dividers with hook

BIN M3		Type	No.	Name
	M3	A62 M3 BLUE	Bin M3 blue	
	M3	A62 M3 ESD	Bin M3 ESD black	



- ▶ Outer size: S: 103Lx140Dx75H / M: 103Lx190Dx75H / L: 141Lx220Dx125H
- ▶ Colors: red, yellow, blue

BIN H1		No.	Name
	A62 H1 BLUE S	Bin H1-S blue	
	A62 H1 RED S	Bin H1-S red	
	A62 H1 YELLOW S	Bin H1-S yellow	
	A62 H1 BLUE M	Bin H1-M blue	
	A62 H1 RED M	Bin H1-M red	
	A62 H1 YELLOW M	Bin H1-M yellow	
	A62 H1 BLUE L	Bin H1-L blue	
	A62 H1 RED L	Bin H1-L-red	
	A62 H1 YELLOW L	Bin H1-L yellow	

BIN E2		No.	Name
	A62 E2 S ESD	Bin E2-S ESD black	
	A62 E2 M ESD	Bin E2-M ESD black	
	A62 E2 L ESD	Bin E2-L ESD black	



3.7 ErgoTrust Cabinets

- ▶ Mounting on upright frame
- ▶ 2 shelves
- ▶ On demand only



SUSPENSION CABINET SCB-1	Type	No.	Name & size	
	M750	A32 750 900	Suspension cabinet 1 - M750 734×255×900 mm	
	M900	A32 900 900	Suspension cabinet 1 - M900 884×255×900 mm	

- ▶ Mounting on upright frame
- ▶ Louvre back
- ▶ On demand only



SUSPENSION CABINET SCB-2	Type	No.	Name & size	
	M750	A33 750 900	Suspension cabinet 2 - M750 734×255×900 mm	
	M900	A33 900 900	Suspension cabinet 2 - M900 884×255×900 mm	

- ▶ Mounting on upright frame
- ▶ 2 shelves
- ▶ Perforated doors
- ▶ On demand only



SUSPENSION CABINET SCB-3	Type	No.	Name & size	
	M750	A34 750 900	Suspension cabinet 3 - M750 734×255×900 mm	
	M900	A34 900 900	Suspension cabinet 3 - M900 884×255×900 mm	

- ▶ Mounting on upright frame
- ▶ 2 shelves
- ▶ Perforated back
- ▶ On demand only



SUSPENSION CABINET SCB-4	Type	No.	Name & size	
	M750	A35 750 900	Suspension cabinet 4 - M750 734×255×900 mm	
	M900	A35 900 900	Suspension cabinet 4 - M900 884×255×900 mm	

- ▶ Mounting on upright frame
- ▶ 1 shelf
- ▶ On demand only



SUSPENSION CABINET SCB-5	Type	No.	Name & size	ESD
	M1200	A36 1200 400	Suspension cabinet 5 / 1155×400×400 mm	
	M1500	A36 1500 400	Suspension cabinet 5 / 1485×400×400 mm	
	M1800	A36 1800 400	Suspension cabinet 5 / 1785×400×400 mm	

- ▶ Mounting on upright frame
- ▶ Roller shutter door
- ▶ On demand only



SUSPENSION CABINET SCB-6	Type	No.	Name & size	ESD
	M1200	A37 1200 400	Suspension cabinet 6 / 1155×400×400 mm	
	M1500	A37 1500 400	Suspension cabinet 6 / 1485×400×400 mm 4-door	
	M1800	A37 1800 400	Suspension cabinet 6 / 1785×400×400 mm 4-door	

- ▶ Install under tabletop
- ▶ Optional drawer dividers are available



SUSPENSION DRAWER - SINGLE	No.	Name & size	ESD
	A38 370 486	Single suspension drawer / 370×486×195 mm	

- ▶ Install under tabletop
- ▶ Optional drawer dividers are available



SUSPENSION DRAWER - DOUBLE	No.	Name & size	ESD
	A39 370 486	Double suspension drawer / 370×486×346 mm	

- ▶ Install under tabletop
- ▶ Optional drawer dividers are available



SUSPENSION DRAWER - TRIPLE	No.	Name & size	ESD
	A40 370 500	Triple suspension drawer / 370×486×500 mm	

- Install under tabletop
- Optional drawer dividers are available



SUSPENSION DRAWER CABINET

No.

Name & size



A41 370 500

Suspension drawer cabinet
370×486×500 mm

DRAWER DIVIDER

Type

No.

Name



D1

A42 D1

Suspension drawer divider longitudinal
partion D1

D2

A42 D2

Suspension drawer divider lateral partition
D2 (half width)

D3

A42 D3

Suspension drawer divider lateral partition
D3 (full width)

- Optional drawer dividers are available



HEAVY DUTY SUSPENSION DRAWER - SINGLE

No.

Name & size



A43 411 180

Heavy duty suspension drawer - single
411×572×180 3mm

- Optional drawer dividers are available



HEAVY DUTY SUSPENSION DRAWER - DOUBLE

No.

Name & size



A44 411 280

Heavy duty suspension drawer - double
411×572×280 mm

- Optional drawer dividers are available



HEAVY DUTY SUSPENSION DRAWER - TRIPLE

No.

Name & size



A45 411 380

Heavy duty suspension drawer - triple
411×572×380 mm

► Optional drawer dividers are available



MOVABLE DRAWER CABINET MV2	No.	Name & size
	A46 370 590	Movable drawer cabinet 370×585×590 mm




► Optional drawer dividers are available



MOVABLE DRAWER CABINET MV3	No.	Name & size
	A47 370 670	Movable drawer cabinet 370×585×670 mm



► 4. TROLLEYS



Standard L-/T-shaped base

- Height: 1100-2000 mm
- Load capacity: 300 kg
- Loading capacity: 50 kg/shelf
- Accessories mountable on uprights



HANDLE	No.	Name	
	Handle	Handle for trolley	

T-BASE (excl. accessories)	No.	Name & size	
	A73 TT 1100 650	Upright frame foot/trolley T 1100x650 mm	
	A73 TT 1740 650	Upright frame foot/trolley T 1800x650 mm	
	A73 TT 2000 650	Upright frame foot/trolley T 2000x650 mm	

L-BASE (excl. accessories)	No.	Name & size	
	A73 TL 1100 390	Upright frame foot/trolley L 1100x390 mm	
	A73 TL 1740 390	Upright frame foot/trolley L 1800x390 mm	
	A73 TL 2000 390	Upright frame foot/trolley L 2000x390 mm	

Clawed crossbar	No.	Name	
	A74 CC 500	Clawed crossbar M500	
	A74 CC 750	Clawed crossbar M750	
	A74 CC 900	Clawed crossbar M900	
	A74 CC 1200	Clawed crossbar M1200	
	A74 CC 1500	Clawed crossbar M1500	



► 5. PROJECT PICTURES

Projects with our Manual Adjustable workbenches



Projects with our Crank Adjustable workbenches








Projects with our Motor Adjustable workbenches



Projects with our Motor Adjustable Max workbenches





the workstation for the next generation

Your dealer

